





IF YOU HAVE DIABETES, HAVE YOUR FEET CHECKED

Diabetes can lead to foot ulceration and is the N°1 cause of foot amputation¹. If not treated promptly, a diabetic foot ulcer can lead to amputation and a life-threatening risk.


Find out more at
savefeetsavelives.com
#savefeetsavelives



Get your feet
checked now.
Discuss it with
your pharmacist
or doctor.



A program by Urgo Medical Supported by D-FOOT International



1. International Diabetes Federation Atlas - 8th edition 2017: page 92.




IF YOU HAVE DIABETES, HAVE YOUR FEET CHECKED

Diabetes is the N°1 cause of foot amputation.¹
But with prevention, early identification and
appropriate treatment, up to 85% of these
amputations could be prevented.²

Find out more at
savefeetsavelives.com
#savefeetsavelives



Get your feet
checked now.
Discuss it with
your pharmacist
or doctor.



**CLOSING WOUNDS,
SAVING FEET,
SAVING LIVES.**



A program by Urgo Medical

D - FOOT
international

Supported by D-FOOT International



1. International Diabetes Federation Atlas - 8th edition 2017: page 92.
2. International Diabetes Federation Atlas - 9th edition 2019: page 89.




IF YOU HAVE DIABETES, DON'T IGNORE YOUR FEET

Diabetes is the N°1 cause of foot amputation.¹
If not spotted and treated promptly, a diabetic
foot ulcer can risk your life.
Don't wait to get your feet checked.

Find out more at
savefeetsavelives.com
#savefeetsavelives



Get your feet
checked now.
Discuss it with
your pharmacist
or doctor.



**CLOSING WOUNDS,
SAVING FEET,
SAVING LIVES.**



A program by Urgo Medical

D - FOOT
international

Supported by D-FOOT International



1 - International Diabetes Federation Atlas - 8th, edition 2017: page 92.